EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	22	(datatype near3 metadata)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/03 19:27
S2	19	(datatype same (subscribe or subscription))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/03 19:28
S3	149	(715/541).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/05 15:45
S4	2	("6189045").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/22 19:19

Google Scholar BETA

datatype conversion   **Search**

Scholar All articles Recent articles   Results **1 - 10** of about **18,700** for **datatype** conversion. (0.31 seconds)

All Results

R Ballagas
M Oh
J Frew
H Cejtin
P Chan

Did you mean: *data type* conversion

Patch panel: enabling control-flow interoperability in ubicomp environments - group of 10 »
R Ballagas, A Szybalski, A Fox - Pervasive Computing and Communications, 2004. PerCom 2004. ..., 2004 -
ieeexplore.ieee.org
... flow interopera- tion refers to resolving mismatches in **data type**, a prob ... such support
by exploiting mobile code "prox- ies" to perform **datatype conversion**. ...
Cited by 17 - Related Articles - Web Search

Enhanced single frame buffer display system - group of 2 »
J Bodenkamp, M Atkins - US Patent 5,243,447, 1993 - Google Patents
... play controller means comprising: **datatype conversion** means havingat ... datafurtherprovid
-ing **data type** identification for ... first color space **conversion** means if ...
Cited by 44 - Related Articles - Web Search

Data type **conversion** for enhancement of network communication systems - group of 3 »
CA O'Shea, KN Fortenberry, RM Szabo, SI Robertson, ... - US Patent 6,189,045, 2001 - Google Patents
Page 1. United States Patent O'Shea et al. (54) **DATA TYPE CONVERSION** FOR
ENHANCEMENT OF NETWORK COMMUNICATION SYSTEMS (75) Inventors ...
Cited by 6 - Related Articles - Web Search

Multiple Architecture Modeling Design Method for Mixed Signal and Multi Domain System Simulation- ... - group of 4 »
M Schlegel, G Herrmann, D Müller - 2001 - tu-chemnitz.de
... register transfer level. A **conversion** between these types is still possible
simply by a **datatype conversion** function. So two approaches ...
Cited by 5 - Related Articles - View as HTML - Web Search

A logical-level approach to data base **conversion** - group of 2 »
A Shoshani - Proceedings of the 1975 ACM SIGMOD international conference ..., 1975 - portal.acm.org
... This process includes logical restructuring of records, duplication
and/or elimination of data values, and **data type conversion**. ...
Cited by 14 - Related Articles - Web Search

The Alexandria Rapid Prototype: building a digital library for spatial information
J Frew, L Carver, C Fischer, M Goodchild, M ... - 1995 ESRI International User Conference,(Palm Springs,
CA, ... - gis.esri.com
... a single row for each **data type** retrieved ... in digitial form requires a **conversion**
of source ... **Datatype conversion** and units of measurement **conversion** is typically ...
Cited by 17 - Related Articles - Cached - Web Search

System and method for providing a single application program interface for heterogeneous databases - group of 2 »
US Patent 6,009,428, 1999 - freepatentsonline.com
... It is another object of this invention to provide an improved DBMS wherein a **datatype**
conversion can be accomplished which enables specific local functions to ...
Cited by 14 - Related Articles - Cached - Web Search

Agent-based modelling environment for spatial decision support - group of 2 »
RR Sengupta, DA Bennett - International Journal of Geographical Information Science, 2003 - Taylor & Francis
... ESRIRtoV-KS Converts an ESRI Raster A **datatype conversion** must be dataset into an ESRI Vector requested and data to be dataset converted must be located on ...
Cited by 14 - Related Articles - Web Search - BL Direct

Flow-directed closure **conversion** for typed languages - group of 8 »
H Cejtin, S Jagannathan, S Weeks - ESOP'00 [ESOP00] - Springer
... closure **conversion** translation using the source language shown on the left-hand side of Figure 1. A program consists of a collec- tion of **datatype** declarations ...
Cited by 27 - Related Articles - Web Search - BL Direct

Method and apparatus for portable checkpointing using data structure metrics and **conversion** ... - group of 3 »
B Ramkumar, V Strmupen - US Patent 6,154,877, 2000 - Google Patents
... apparatus for portable checkpointing com -prising the steps of: pre-compiling an input application source code and basic **data type conversion** functions; and ...
Cited by 14 - Related Articles - Web Search

Did you mean to search for: *data type* conversion

Gooooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

| datatype conversion | | Search |

Google Home - About Google - About Google Scholar

Google
Scholar BETA

Scholar All articles Recent articles   Results **1 - 10** of about **891,000** for data type conversion. (0.20 seconds)

All Results

B Liskov

W Press

A Peleg

G Morrisett

L Cardelli

Programming with abstract **data** types - group of 5 »
B Liskov, S Zilles - Proceedings of the ACM SIGPLAN symposium on Very high level ..., 1974 - portal.acm.org
... He is not (usually) concerned with how the **data** objects are represented, and ... a thing
as an error (strong typing), or by some sort of automatic **type conversion**. ...
Cited by 290 - Related Articles - Web Search

On understanding types, **data** abstraction, and polymorphism - group of 50 »
L Cardelli, P Wegner - ACM Computing Surveys (CSUR), 1985 - portal.acm.org
... On Understanding **Types**, **Data** Abstraction, and Polymorphism ... system, inserted in the
program, and used by the compiler to generate required **type conversion** code. ...
Cited by 1241 - Related Articles - Web Search - Library Search

Your mediators need **data conversion**! - group of 7 »
S Cluet, C Delobel, J Siméon, K Smaga - ... ACM SIGMOD international conference on Management of **data**,
1998 - portal.acm.org
... to manage heterogeneous **data**. This property of the YAT model can be used for various
purpos- es: to help the programmer write **conversion** programs or **type** them ...
Cited by 358 - Related Articles - Web Search - BL Direct

A Value Transmission Method for Abstract **Data** Types - group of 5 »
M HERLIHY, B LISKOV - ACM Transactions on Programming Languages and Systems, 1982 - portal.acm.org
... 2 Cvt indicates a **conversion** between abstract and internal ... **type**; when it appears
as a result **type**, the mapping ... **data type** table]key, item : **type**] is create, isin ...
Cited by 118 - Related Articles - Web Search

Miranda: A non-strict functional language with polymorphic types - group of 2 »
DA Turner - Proc. of a conference on Functional programming languages ..., 1985 - cs.kent.ac.uk
... The security of the abstract **data type** here depends, not on the hiding of declared
identifiers, but on the fact that explicit acts of **conversion** between the ...
Cited by 406 - Related Articles - View as HTML - Web Search

The algebraic specification of abstract **data** types
JV Guttag, JJ Horning - Acta Informatica, 1978 - Springer
... To adopt this approach, however, is to ignore the primary reason for viewing a **data**
type as an algebra, ie, to provide a representation-free specification of ...
Cited by 202 - Related Articles - Web Search

Intel MMX for Multimedia PCs - group of 7 »
A Peleg, S Wilkie, U Weiser - COMMUNICATIONS OF THE ACM, 1997 - portal.acm.org
... shift. MMX technology also added **data-type conversion** instructions to address
the need to **convert** between the new **data types**. As ...
Cited by 125 - Related Articles - Web Search - BL Direct

Data type conversion for enhancement of network communication systems - group of 3 »
CA O'Shea, KN Fortenberry, RM Szabo, SI Robertson, ... - US Patent 6,189,045, 2001 - Google Patents
Page 1. United States Patent O'Shea et al. (54) **DATA TYPE CONVERSION** FOR
ENHANCEMENT OF NETWORK COMMUNICATION SYSTEMS (75) Inventors ...
Cited by 6 - Related Articles - Web Search

Google Scholar BETA

data type conversion | Search |

Scholar All articles Recent articles

Results **1 - 10** of about **891,000** for <u>data type conversion</u>. (0.20 seconds)

All Results
B Liskov
W Press
A Peleg
G Morrisett
L Cardelli

Programming with abstract **data** types - group of 5 »
B Liskov, S Zilles - Proceedings of the ACM SIGPLAN symposium on Very high level ..., 1974 - portal.acm.org
... He is not (usually) concerned with how the **data** objects are represented, and ... a thing
as an error (strong typing), or by some sort of automatic **type conversion**. ...
Cited by 290 - Related Articles - Web Search

On understanding types, **data** abstraction, and polymorphism - group of 50 »
L Cardelli, P Wegner - ACM Computing Surveys (CSUR), 1985 - portal.acm.org
... On Understanding **Types, Data** Abstraction, and Polymorphism ... system, inserted in the
program, and used by the compiler to generate required **type conversion** code. ...
Cited by 1241 - Related Articles - Web Search - Library Search

Your mediators need **data conversion**! - group of 7 ».
S Cluet, C Delobel, J Siméon, K Smaga - ... ACM SIGMOD international conference on Management of **data**,
1998 - portal.acm.org
... to manage heterogeneous **data**. This property of the YAT model can be used for various
purpos- es: to help the programmer write **conversion** programs or **type** them ...
Cited by 358 - Related Articles - Web Search - BL Direct

A Value Transmission Method for Abstract **Data** Types - group of 5 »
M HERLIHY, B LISKOV - ACM Transactions on Programming Languages and Systems, 1982 - portal.acm.org
... 2 Cvt indicates a **conversion** between abstract and internal ... **type**; when it appears
as a result **type**, the mapping ... **data type** table]key, item : **type**] is create, isin ...
Cited by 118 - Related Articles - Web Search

Miranda: A non-strict functional language with polymorphic types - group of 2 »
DA Turner - Proc. of a conference on Functional programming languages ..., 1985 - cs.kent.ac.uk
... The security of the abstract **data type** here depends, not on the hiding of declared
identifiers, but on the fact that explicit acts of **conversion** between the ...
Cited by 406 - Related Articles - View as HTML - Web Search

The algebraic specification of abstract **data** types
JV Guttag, JJ Horning - Acta Informatica, 1978 - Springer
... To adopt this approach, however, is to ignore the primary reason for viewing a **data**
type as an algebra, ie, to provide a representation-free specification of ...
Cited by 202 - Related Articles - Web Search

Intel MMX for Multimedia PCs - group of 7 »
A Peleg, S Wilkie, U Weiser - COMMUNICATIONS OF THE ACM, 1997 - portal.acm.org
... shift. MMX technology also added **data-type conversion** instructions to address
the need to **convert** between the new **data types**. As ...
Cited by 125 - Related Articles - Web Search - BL Direct

Data type conversion for enhancement of network communication systems - group of 3 »
CA O'Shea, KN Fortenberry, RM Szabo, SI Robertson, ... - US Patent 6,189,045, 2001 - Google Patents
Page 1. United States Patent O'Shea et al. (54) **DATA TYPE CONVERSION** FOR
ENHANCEMENT OF NETWORK COMMUNICATION SYSTEMS (75) Inventors ...
Cited by 6 - Related Articles - Web Search